



Attribution of Haze Report (Phase I)

Geographic Attribution for the Implementation of the Regional Haze Rule

Prepared for the:

Western Regional Air Partnership
Western Governors' Association
1515 Cleveland Place, Suite 200
Denver, CO 80202

Prepared by:

Air Resource Specialists, Inc.
1901 Sharp Point Drive, Suite E
Fort Collins, Colorado 80525
(970) 484-7941
www.air-resource.com

March 14, 2005

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION	1-1
1.1 Background	1-1
1.2 Attribution of Haze Project	1-2
1.3 Analysis Methods	1-3
1.4 Phase I Data Summary Products	1-5
2.0 ANALYTICAL APPROACH	2-1
2.1 Emissions Inventories	2-2
2.1.1 Point and Area Source Emissions	2-2
2.1.2 Mobile Source Emissions	2-4
2.1.3 Fire Emissions	2-5
2.1.4 Biogenic and Windblown Dust Emissions	2-5
2.1.5 Ammonia Emissions	2-6
2.1.6 Boundary Conditions	2-6
2.1.7 Emissions Summaries	2-6
2.2 Monitoring Data	2-12
2.2.1 The IMPROVE Monitoring Network	2-12
2.3 Modeling	2-19
2.3.1 Air Quality Modeling	2-19
2.3.2 Back Trajectory Modeling	2-24
2.4 Attribution Assessments	2-27
2.4.1 Tagged Species Source Apportionment (TSSA) Method	2-27
2.4.2 Trajectory Regression Attribution Method	2-29
3.0 ATTRIBUTION OF HAZE WEB SITE DESCRIPTION	3-1
4.0 REGIONAL ATTRIBUTIONS AND ASSESSMENTS	4-1
4.1 Source Attribution Results	4-1
4.1.1 Regional Attributions	4-1

TABLE OF CONTENTS (continued)

<u>Section</u>	<u>Page</u>
4.1.2 Results for Selected Sites	4-30
4.1.3 Fire Episode Impacts on IMPROVE Samples	4-75
4.2 Regional Assessments	4-81
4.2.1 Fire Assessment	4-81
4.2.2 Carbon Assessment	4-86
4.2.3 Dust Assessment	4-89
5.0 RECOMMENDATIONS FOR PHASE II	5-1
5.1 Recommendations	5-2

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
2-1 Interim 2002 Emissions Totals for the WRAP Region	2-8
2-2a WRAP Annual 2002 “Interim” Emissions Estimates from all Source Categories for NO _x by 36 km Grid Cell	2-9
2-2b WRAP Annual 2002 “Interim” Emissions Estimates from all Source Categories for SO ₂ by 36 km Grid Cell	2-10
2-3 State Emissions Map for 2002 SO ₂ Emissions in California	2-11
2-4 Map of WRAP Region Tribal and Mandatory Federal Class I Areas and IMPROVE Monitoring Sites	2-16
2-5 Map Depicting the 2002 Annual Average IMPROVE Aerosol Extinction (in inverse megameters, Mm ⁻¹) by species in the WRAP States	2-17
2-6 Comparison of the Extinction (B _{ext}), Deciview, and Visual Range (V.R.) Visibility Metrics – West Elk Mountains	2-18
2-7 The WRAP 2002 Air Quality Modeling Domain	2-20

LIST OF FIGURES (continued)

<u>Figure</u>		<u>Page</u>
2-8a	The Mean Fractional Bias (MFB) for the Model Simulated Data to the Ambient Monitoring Data for Each of the PM Ambient Data Networks	2-22
2-8b	The Mean Fractional Bias (MFB) for the Model Simulated Data to the Ambient Monitoring Data for Each of the PM Ambient Data Networks	2-23
2-9	Back Trajectory Residence Time Map for Great Sand Dunes NP	2-26
2-10	TSSA Source Area Mapping File	2-28
2-11	Graphical Representation of the “Edge Effect”	2-31
2-12	Map Indicating the Selected Source Regions for the Rocky Mountain NP Monitoring Site	2-32
3-1	State Report Page for North Dakota	3-2
3-2	Tribal Report Page	3-3
3-3	Class I Area Report Page for Rocky Mountain National Park	3-4
4-1	Initial Grouping of Class I Areas by TSSA Source Region Attribution of Sulfate and Nitrate	4-6
4-2a	TSSA Sulfate Contributions to Class I Areas Attributed to Washington	4-15
4-2b	TSSA Nitrate Contributions to Class I Areas Attributed to Washington	4-16
4-3	TSSA Sulfate and Nitrate Contribution at Each Class I Area Attributed to the “Other” (Non-point, Non-mobile) Source Category	4-25
4-4a	2002 Timeline of IMPROVE Monitoring Data for Rocky Mountain NP	4-32
4-4b	2002 Timeline of CMAQ Model Results for Rocky Mountain NP	4-33
4-5a	Sulfate TSSA and TRA Source Apportionment Method Comparison for Rocky Mountain NP	4-34
4-5b	Sulfate and Nitrate TSSA Source Apportionment Results for Rocky Mountain NP	4-35

LIST OF FIGURES (continued)

<u>Figure</u>	<u>Page</u>
4-6a Colorado Emissions Map for SO ₂	4-36
4-6b Colorado Emissions Map for NO _x	4-37
4-7 Residence Time Map for Rocky Mountain NP (2000-2002)	4-38
4-8 Simulated Visibility Based on the 20% Best Days and 20% Worst Days	4-38
4-9a 2002 Timeline of IMPROVE Monitoring Data for Yellowstone NP	4-41
4-9b 2002 Timeline of “Raw” IMPROVE Monitoring Data for Yellowstone NP	4-42
4-9c 2002 Timeline of CMAQ Model Results for Yellowstone NP	4-43
4-10a Sulfate TSSA and TRA Source Apportionment Method Comparison for Yellowstone NP	4-44
4-10b Sulfate and Nitrate TSSA Source Apportionment Results for Yellowstone NP	4-45
4-11a Wyoming Emissions Map for SO ₂	4-46
4-11b Wyoming Emissions Map for NO _x	4-47
4-12 Residence Time Map for Yellowstone NP (2000-2002)	4-48
4-13a 2002 Timeline of IMPROVE Monitoring Data for Mount Rainier NP	4-50
4-13b 2002 Timeline of CMAQ Model Results for Mount Rainier NP	4-51
4-14a Sulfate TSSA and TRA Source Apportionment Method Comparison for Mount Rainier NP	4-52
4-14b Sulfate and Nitrate TSSA Source Apportionment Results for Mount Rainier NP	4-53
4-15a Washington Emissions Map for SO ₂	4-54
4-15b Washington Emissions Map for NO _x	4-55
4-16 Residence Time Map for Mount Rainier NP (2000-2002)	4-56

LIST OF FIGURES (continued)

<u>Figure</u>	<u>Page</u>
4-17a 2002 Timeline of IMPROVE Monitoring Data for Yosemite NP	4-59
4-17b 2002 Timeline of CMAQ Model Results for Yosemite NP	4-60
4-18a Sulfate TSSA and TRA Source Apportionment Method Comparison for Yosemite NP	4-61
4-18b Sulfate and Nitrate TSSA Source Apportionment Results for Yosemite NP	4-62
4-19a California Emissions Map for SO ₂	4-63
4-19b California Emissions Map for NO _x	4-64
4-20 Residence Time Map for Yosemite NP (2000 – 2002)	4-65
4-21 Simulated Visibility Based on the 20% Best Days and 20% Worst Days	4-65
4-22a 2002 Timeline of IMPROVE Monitoring Data for Zion NP	4-68
4-22b 2002 Timeline of CMAQ Model Results for Zion NP	4-69
4-23a Sulfate TSSA and TRA Source Apportionment Method Comparison for Zion NP	4-70
4-23b Sulfate and Nitrate TSSA Source Apportionment Results for Zion NP	4-71
4-24a Utah Emissions Map for SO ₂	4-72
4-24b Utah Emissions Map for NO _x	4-73
4-25 Residence Time Map for Zion NP (200 – 2002)	4-74
4-26a 2002 Timeline of IMPROVE Monitoring Data According to the RHR Guidance for Crater Lake NP	4-77
4-26b 2002 Timeline of “Raw” IMPROVE Monitoring Data, Including Data from Clogged Filter Events, for Carter Lake NP	4-78
4-27a 2002 Timeline of IMPROVE Monitoring Data According to the RHR Guidance for Petrified Forest NP	4-79

LIST OF FIGURES (continued)

<u>Figure</u>		<u>Page</u>
4-27b	2002 Timeline of “Raw” IMPROVE Monitoring Data, Including Data from Clogged Filter Events, for Petrified Forest NP	4-80
4-28	Modeled Annual Average Contribution to Light Extinction by all Fire Categories for 2002	4-84
4-29	Modeled Annual Average Contribution to Light Extinction by Natural Fires for 2002	4-85
4-30	Modeled Annual Average Contribution to Light Extinction by Anthropogenic Fires for 2002	4-85
4-31	IMPROVE Organic Carbon Extinction as a Fraction of Total Aerosol Extinction Based on the Average of the 20% Highest Values for 2002	4-87
4-32	IMPROVE Elemental Carbon Extinction as a Fraction of Total Aerosol Extinction Based on the Average of the 20% Highest Values for 2002	4-87
4-33	Ratio of Organic to Elemental Carbon for all IMPROVE Sites during Summer 2002	4-88
4-34	2002 PM ₁₀ Emissions by Source Category	4-90

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1-1	Approaches Used to Determine and Support Source Attribution by Species	1-5
1-2	Summary of AoH Major Data Products	1-6
2-1	Analyses and Information Available for Attribution Assessment	2-2
2-2	Site Specifications, IMPROVE Network	2-14
2-3	CMAQ Model Performance Compared to IMPROVE Monitoring Data for 2002, Monthly Bias (Positive/Negative) and Error (%)	2-21
2-4	Back Trajectory Model Parameters Selected for AoH Analysis	2-24

LIST OF TABLES (continued)

<u>Table</u>		<u>Page</u>
2-5	Source Tags Available for Use in the TSSA Simulation	2-29
4-1	Class I Area Group Characteristics, Range of TSSA Sulfate and Nitrate Contributions in Percent (Rounded to Nearest 5%)	4-5
4-2a	TSSA Analysis Attribution Results for SO ₄ (%), Based on 20% Highest Modeled Extinction Days in 2002	4-7
4-2b	TSSA Analysis Attribution Results for NO ₃ (%), Based on 20% Highest Modeled Extinction Days in 2002	4-11
4-3a	TSSA Analysis SO ₄ Contribution to Aerosol Extinction (%) on the 20% Highest Modeled Extinction Days in 2002	4-17
4-3b	TSSA Analysis NO ₃ Contribution to Aerosol Extinction (%) on the 20% Highest Modeled Extinction Days in 2002	4-21
4-4	Uncertainty Analysis of TRA Results and Comparison to TSSA Results	4-26
4-5	Summary of Clogged Filters at WRAP IMPROVE Sites by Module in 2002	4-75
4-6	2002 Phase I Fire Emissions Inventory Data	4-82
4-7	PM ₁₀ Dust Emissions by Source Category for 2002	4-91
5-1	Attribution of Haze Project, Phase II, Tentative Schedule	5-2

List of Acronyms

<u>Acronym</u>	<u>Definition</u>
AIRS	Aerometric Information Retrieval System
AoH	Attribution of Haze (WRAP Workgroup)
APACE	The Atmospheric Particulate Carbon Exchange
AQS	Air Quality System
ARL	Air Resources Laboratory
BC	Boundary condition
BCON	Boundary concentration
BEIS3	Biogenic Emissions Inventory System version 3
BRAVO	Big Bend Regional Aerosol & Visibility Observations study
CARB	California Air Resources Board
CASTNet	Clean Air Status and Trends Network (monitoring network)
CEM	Continuous Emissions Monitoring
CENRAP	Central Regional Air Planning Association
CMAQ	Community Multiscale Air Quality
COHA	Causes of Haze Assessment
DRI	Desert Research Institute
DV	Deciview
EC	Elemental carbon
EDAS	Eta Data Assimilation System (meteorological data fields)
EDMS	Emissions Data Management System
EGAS	Economic Growth Analysis System
EGU	Electric generating unit
EI	Emissions inventory
EIA-767	Energy Information Administration Form 767
EPA	Environmental Protection Agency
ETS	Emissions Tracking System
FEJF	Fire Emissions Joint Forum (WRAP Forum)
FNL	Global Forecast System Final analysis (meteorological data fields)
GCVTC	Grand Canyon Visibility Transport Commission
GEAR	Gas phase chemistry solver.
GEOSCHEM	Global chemical-transport model
HYSPLIT	Hybrid-Single Particle Lagrangian Integrated Trajectory (dispersion/trajectory model)
IAS	Integrated Assessment System
IC	Initial condition
ICON	Initial concentration

List of Acronyms (Cont.)

<u>Acronym</u>	<u>Definition</u>
IMPROVE	Interagency Monitoring of Protected Visual Environments (monitoring network)
km	Kilometer
mi	Mile
Mm ⁻¹	Inverse megameter (units of light extinction)
MM5 data	Fifth-generation Penn State/NCAR Mesoscale Model (meteorological field)
MOBILE6	Motor vehicle emissions factor model
MSF	Mobile Sources Forum (WRAP Forum)
NADP	National Atmospheric Deposition Program (monitoring network)
NCAR	National Center for Atmospheric Research
NEI	National Emissions Inventory
NH ₃	Ammonia
NOAA	National Oceanic and Atmospheric Administration
NONROAD	Model for off-road emissions
NO _x	Oxides of nitrogen
NP	National Park
OC	Organic carbon
PM	Particulate matter
PM _{2.5}	Particulate matter less than 2.5 microns in diameter
PM ₁₀	Particulate matter less than 10 microns in diameter
PMC	Coarse particulate matter, between 2.5 and 10 microns in diameter
PSU	Pennsylvania State University
RH	Relative humidity
RHR	Regional Haze Rule
RMC	Regional Modeling Center
RPO	Regional Planning Organization
RRF	Relative Reduction Factors
SEARCH	Southeastern Aerosol Research and Characterization (monitoring network)
SIP	State implementation plan
SMOKE	Sparse Matrix Operator Kernel Emissions
SO ₂	Sulfur dioxide
SO ₄	Sulfate
STN	Speciation Trends Network (monitoring network)

List of Acronyms (Cont.)

<u>Acronym</u>	<u>Definition</u>
TIP	Tribal implementation plan
TRA	Trajectory Regression Analysis (attribution method)
TSSA	Tagged Species Source Apportionment (attribution method)
VIEWS	Visibility Information Exchange Web System (visibility web site)
VMT	Vehicle miles traveled
VOC	Volatile organic carbon compounds
VR	Visual range
WA	Wilderness Area
WinHaze	Visual Air Quality Modeler
WRAP	Western Regional Air Partnership