



### **Keyword Search of Cal/EPA Internet Sites**

Search the content of the Cal/EPA Internet site and all the sites managed by the Cal/EPA's Boards, Departments, and Offices.

Keyword search:

Results 1 - 10 for **Aluminum**. (0.26 seconds)Refine results for **Aluminum**:[ARB](#)[Water](#)[CIWMB](#)[DTSC](#)[DPR](#)[OEHHA](#)[Agency](#)[\[PDF\] For Review Only ALUMINUM](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

A proposed PHG was derived from data in a 40-day **aluminum** (Al) balance study ... The current State MCL for **aluminum** in drinking water is 1.0 mg/L. The U.S. ...

[oehha.ca.gov/water/phg/pdf/Alumin.pdf](http://oehha.ca.gov/water/phg/pdf/Alumin.pdf)by ID Water - [Related articles](#) - [All 4 versions](#)Labeled [OEHHA](#)[Supply and Demand: Metals Recycling](#)

Feb 7, 2008 ... The demand for California UBCs arises primarily from integrated **aluminum** smelters producing can sheet and from secondary smelters producing ...

[www.ciwmb.ca.gov/Metals/SupplyDemand.htm](http://www.ciwmb.ca.gov/Metals/SupplyDemand.htm)Labeled [CIWMB](#)[\(obsolete\) Water](#)

A proposed PHG was derived from data in a 40-day **aluminum** (Al) balance study in humans (Greger and Baier, 1983). In this study subjects received either 4.6 ...

[oehha.ca.gov/water/AlumD.html](http://oehha.ca.gov/water/AlumD.html)Labeled [OEHHA](#)[\[PDF\] CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD CENTRAL VALLEY ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

R5-2002-0208 contains Effluent Limitation B.2 for **aluminum**, which reads as ... In order to consistently comply with the **aluminum** Effluent Limitation, ...

[www.swrcb.ca.gov/rwqcb5/board\\_decisions/adopted\\_orders/placer/r5-2002-0209.pdf](http://www.swrcb.ca.gov/rwqcb5/board_decisions/adopted_orders/placer/r5-2002-0209.pdf)Labeled [Water](#)[OEHHA: Water - Public Health Goals \(PHGs\)](#)

Apr 6, 2001 ... Download the final Technical Support Document for Publication of a Public Health Goal for **Aluminum** in Drinking Water ...

[oehha.ca.gov/water/phg/AICRNRphg.html](http://oehha.ca.gov/water/phg/AICRNRphg.html)Labeled [OEHHA](#)[\[PDF\] Rulemaking:1999-03-24 Final Reg Order ATCM For Emissions of Toxic ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

**aluminum** alloys (including anodized **aluminum**) and that is free of paints, .... (4) Exemption for **Aluminum** Furnaces. The combustion chamber in a ...

[www.arb.ca.gov/toxics/atcm/metalm.pdf](http://www.arb.ca.gov/toxics/atcm/metalm.pdf)Labeled [ARB](#)[Conversion factors for metals: Diversion Study Guide](#)

Oct 26, 2007 ... **Aluminum**/tin Cans commingled—uncrushed. 33 gallon. USEPA. 11.55.

Ferrous Metals. Metal scrap. 55 gallon. U.S. EPA. 226.5. Metal scrap ...

[www.ciwmb.ca.gov/Lglibrary/DSG/IMetal.htm](http://www.ciwmb.ca.gov/Lglibrary/DSG/IMetal.htm)Labeled [CIWMB](#)[\[PDF\] Approval Letter: 1994-08-29 #94-19 Approval of the Aluminum Spout ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

**aluminum** spout for the OPW Model 11VAA and 11VAI bootless type vapor recovery nozzles. ... Both the stainless steel and the **aluminum** nozzle spout ...

[www.arb.ca.gov/vapor/approval/cal-94/94-19.pdf](http://www.arb.ca.gov/vapor/approval/cal-94/94-19.pdf)Labeled [ARB](#)[Resources on Metals Recycling](#)

Feb 7, 2008 ... **Aluminum** Market Alert, at <http://www.hollyrh.demon.co.uk>, is a quarterly abstract/newsletter that focuses on all global matters affecting ...

[www.ciwmb.ca.gov/metals/resources.htm](http://www.ciwmb.ca.gov/metals/resources.htm)Labeled [CIWMB](#)[\[PDF\] ITEM: 23 SUBJECT: City of Grass Valley, Wastewater Treatment Plant ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

---

Last updated: June 25, 2007  
California Environmental Protection Agency, <http://www.calepa.ca.gov>  
General Public Contact, [cepacomm@calepa.ca.gov](mailto:cepacomm@calepa.ca.gov) (916) 323-2514

[Conditions of Use](#) | [Privacy Policy](#)  
©1998, 2009 California Environmental Protection Agency. All rights reserved.