

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 2110007 System Name: Coast Springs - Cal. Water Service (PUC) HQNAME: California Water Co.- Coast Spr City: Dillon Beach State: CA Address: 3255 Dillon Beach Road
2. Enter the system number:	2110007 OR Coast Springs - Cal. Water Service (PUC) Filter systems (reset) By County <input type="text" value="MARIN"/> OR By City <input type="text" value="--"/>	
3. Enter the Chemical number/name:	01007 OR BARIUM	
4. Select Date Range:	2002-01-01 TO 2008-03-24 ≥ 2002-01-01 ≤ 2008-03-24	
5. Graph Properties:	Width: <input type="text" value="1000"/> Height: <input type="text" value="400"/> <input type="button" value="Generate Graph"/> <input type="text" value="--"/>	

6. Generated Graph:

Area Info.

System Name = Coast Springs - Cal. Water Service (PUC)
 Laboratory Number = CALIFORNIA WATER SERVICE CO.
 Laboratory Area = 408
 Laboratory Tel. = 3678324

Chemical Info.

Chemical Name = BARIUM (01007)
 RPHL = 600 (UG/L)
 MCL = 1000 RCL = 100
 MDL = 100

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 37

