

## CA WQM Analysis

|  |   |   |
|--|---|---|
| <b>1. Select the data source:</b>                | <input type="radio"/> Chemical <input type="radio"/> Chemhist <input checked="" type="radio"/> Chemarcv | <b>System Number:</b> 4510014<br><b>System Name:</b> Bella Vista Water District<br><b>HQNAME:</b> BELLA VISTA WATER DISTRICT<br><b>City:</b> REDDING<br><b>State:</b> CA<br><b>Address:</b> 11368 EAST STILLWATER WAY |
| <b>2. Enter the system number:</b>               | 4510014 OR Bella Vista Water District<br>Filter systems (reset)<br>By County SHASTA OR<br>By City --    |   |
| <b>3. Enter the Chemical number/name:</b>        | 01007 OR BARIUM   |   |
| <b>4. Select Date Range:</b>                     | 1986-10-07 TO 1994-12-31<br>≥ 1986-10-07 ≤ 1994-12-31   |   |
| <b>5. Graph Properties:</b>                      | Width: 1000 Height: 400   |   |
| <input type="button" value="Generate Graph"/> -- |   |   |

### 6. Generated Graph:

#### Area Info.

System Name = Bella Vista Water District  
 Laboratory Number = QUALITY ANALYTICAL LABORATORIES, INC.  
 Laboratory Area = 530  
 Laboratory Tel. = 2445227

#### Chemical Info.

Chemical Name = BARIUM (01007)  
 RPHL. = 600 (UG/L)  
 MCL = 1000 RCL = 100  
 MDL = 100

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377  
 No. of Graph Points = 15

