

CA WQM Analysis

1. Select the data source:	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 5610017 System Name: VENTURA WATER DEPARTMENT HQNAME: City of Ventura Water Dept. City: Ventura State: CA Address: P.O. Box 99
2. Enter the system number:	5610017 OR VENTURA WATER DEPARTMENT Filter systems (reset) By County -- OR By City VENTURA	
3. Enter the Chemical number/name:	01007 OR BARIUM	
4. Select Date Range:	2002-01-01 TO 2008-03-24 ≥ 2002-01-01 ≤ 2008-03-24	
5. Graph Properties:	Width: 1000 Height: 400	
<input type="button" value="Generate Graph"/> --		

6. Generated Graph:

Area Info.
 System Name = VENTURA WATER DEPARTMENT
 Laboratory Number = SAN BUENAVENTURA CITY SANITATION LAB
 Laboratory Area = 805
 Laboratory Tel. = 6547800

Chemical Info.
 Chemical Name = BARIUM (01007)
 RPHL. = 600 (UG/L)
 MCL = 1000 RCL = 100
 MDL = 100

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377
 No. of Graph Points = 59

