

CA WQM Analysis

1. Select the data source:	<input type="radio"/> Chemical <input type="radio"/> Chemhist <input checked="" type="radio"/> Chemarcv	System Number: 2310009 System Name: Brooktrails Township CSD HQNAME: BROOKTRAILS CSD City: WILLITS State: CA Address: 2441 Primrose Drive
2. Enter the system number:	2310009 OR Brooktrails Township CSD Filter systems (reset) By County MENDOCINO OR <hr/> By City --	
3. Enter the Chemical number/name:	01007 OR BARIUM	
4. Select Date Range:	1986-10-07 <input type="text"/> TO 1994-12-31 <input type="text"/> ≥ 1986-10-07 ≤ 1994-12-31	
5. Graph Properties:	Width: 1000 Height: 400 <input type="button" value="Generate Graph"/> --	

6. Generated Graph:

Area Info.

System Name = Brooktrails Township CSD
 Laboratory Number = ALPHA ANALYTICAL LABORATORIES INC.
 Laboratory Area = 707
 Laboratory Tel. = 4680401

Chemical Info.

Chemical Name = BARIUM (01007)
 RPHL. = 600 (UG/L)
 MCL = 1000 RCL = 100
 MDL = 100

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377
 No. of Graph Points = 6

