

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 0710003 System Name: Contra Costa Water District HQNAME: Contra Costa Water District City: Concord State: CA Address: P.O. Box H2O
2. Enter the system number:	0710003 OR -- Filter systems (reset) By County -- OR By City --	
3. Enter the Chemical number/name:	00612 OR --	
4. Select Date Range:	2002-01-01 TO 2003-01-01 ≥ 2002-01-01 ≤ 2008-03-24	
5. Graph Properties:	Width: 1000 Height: 400 <input type="button" value="Generate Graph"/> --	

6. Generated Graph:

Area Info.

System Name = Contra Costa Water District
 Laboratory Number = CONTRA COSTA WATER DISTRICT
 Laboratory Area = 925
 Laboratory Tel. = 68888090

Chemical Info.

Chemical Name = AMMONIA (NH3-N) (00612)
 RPHL = 0 (MG/L)
 MCL = 0 RCL = 0
 MDL = 0

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 21

