

## Flying 3-D Eye-Bots

ScienceDaily (May 3, 2012) — They can be deployed as additional surveillance resources during major events, or as high-resolution 3D street imaging systems. Intelligent swarms of aerial drones are a universally useful tool for police, crisis managers and urban planners. Special 3D sensors developed by Fraunhofer researchers ensure flawless aerobatics and prevent collisions.

Like a well-rehearsed formation team, a flock of flying robots rises slowly into the air with a loud buzzing noise. A good two dozen in number, they perform an intricate dance in the sky above the seething hordes of soccer fans. Rowdy hooligans have stormed the field and set off flares. Fights are breaking out all over, smoke is hindering visibility, and chaos is the order of the day. Only the swarm of flying drones can maintain an overview of the situation. These unmanned aerial vehicles (UAVs) are a kind of mini-helicopter, with a wingspan of around two meters. They have a propeller on each of their two variable-geometry side wings, which lends them rapid and precise maneuverability. In operation over the playing field, their cameras and sensors capture urgently-needed images and data, and transmit them to the control center. Where are the most seriously injured people? What's the best way to separate the rival gangs? The information provided by the drones allows the head of operations to make important decisions more quickly, while the robots form up to go about their business above the arena autonomously -- and without ever colliding with each other, or with any other obstacles.

A CMOS sensor developed by researchers at the Fraunhofer Institute for Microelectronic Circuits and Systems IMS in Duisburg lies at the heart of the anti-collision technology. "The sensor can measure three-dimensional distances very efficiently," says Werner Brockherde, head of the development department. Just as in a black and white camera, every pixel on the sensor is given a gray value. "But on top of that," he explains, "each pixel is also assigned a distance value." This enables the drones to accurately determine their position in relation to other objects around them.

### Sensor has a higher resolution than radar

The distance sensor developed by the IMS offers significant advantages over radar, which measures distances using reflected echoes. "The sensor has a much higher local resolution," says Brockherde. "Given the near-field operating conditions, radar images would be far too coarse." The flying robots are capable of identifying even small objects measuring 20 by 15 centimeters at ranges of up to 7.5



*The 3-D camera in the robot can identify objects as small as 20 by 15 centimeters from a distance of seven meters. (Credit: Copyright Fraunhofer IMS)*

meters. Moreover, this distance information is then transmitted at the very impressive rate of 12 images per second.

Even when there is interfering light, for example when a drone is flying directly into the sun, the sensor will deliver accurate images. It operates according to the time-of-flight (TOF) process, whereby light sources emit short pulses that are reflected by objects and bounced back to the sensor. In order to prevent over-bright ambient light from masking the signal, the electronic shutter only opens for a few nanoseconds. In addition, the sensor also takes differential measurements, in which the first image is captured using ambient light only, a second is taken using the light pulse as well, and the difference between the two determines the required output signal. "All of this happens in real time," adds Brockherde.

The 3D distance sensors are built into cameras manufactured by TriDiCam, a spin-off company of Fraunhofer IMS. Jochen Noell, TriDiCam's managing director, admits: "This research project has presented us with new challenges as regards ambient operating conditions and the safety of the sensor technology." The work falls under the AVIGLE project, one of the winners of the 'Hightech.NRW' cutting-edge technology competition which receives funding from both the Land of North Rhine-Westphalia and the EU. The IMS engineers will be presenting their sensor technology at the Fraunhofer CMOS Imaging Workshop in Duisburg on June 12 and 13 this year.

Conducting intelligent aerial surveillance of major events is not the only intended use for flying robots. They could also be of benefit to disaster relief workers, and likewise to urban planners, who could utilize them to produce detailed 3D models of streets or to inspect roofs in order to establish their suitability for solar installations. Whether deployed to create virtual maps of difficult-to-access areas, to monitor construction sites or to measure contamination at nuclear power plants, these mini UAVs could potentially be used in a wide range of applications, obviating the need for expensive aerial photography and/or satellite imaging.

Share this story on **Facebook**, **Twitter**, and **Google**:



[Share on blogger](#)[Share on digg](#)[Share on fark](#)[Share on linkedin](#)[Share on myspace](#)[Share on newsvine](#)[Share on reddit](#)[Share on stumbleupon](#)

[24](#)

☒ APA

☐ MLA

Fraunhofer-Gesellschaft (2012, May 3). Flying 3-D eye-bots. *ScienceDaily*. Retrieved June 13, 2012, from <http://www.sciencedaily.com/releases/2012/05/120503142649.htm>

*Note: If no author is given, the source is cited instead.*

***Disclaimer:*** Views expressed in this article do not necessarily reflect those of ScienceDaily or its staff.