

[Skip over navigation](#)

informaworld™

[HOME](#) . [ABOUT US](#) .
[CONTACT US](#)

[HELP](#) . [PUBLISH WITH US](#) . [LIBRARIANS](#)

[eBooks](#) [Journals](#) [Reference Works](#) [Abstract Databases](#)

Search in

• [Browse Publications A-Z](#)



or Explore

• [Browse Subjects A-Z](#)

• [Advanced Search](#)

[SIGN IN](#) [Register](#) | [Why Register?](#) | [Got a Voucher?](#)

Username: Password: [[athens sso](#)] [[forgotten password?](#)] [[hide](#)]

informaworld

[HOME](#) | [SEARCH](#) | [BROWSE](#)

[Issues List](#)

[Latest Issue](#)

[Forthcoming Articles](#)

[Volume 28 Issue 9](#)

[Subscribe](#)


[Article](#)

[References](#)

[Cited By](#)

[Related articles](#)

[Mark Link](#)



Search within this journal

[Click here for immediate access to the latest key research articles](#)



Contrail observations over Southern and Eastern Asia in NOAA/AVHRR data and comparisons to contrail simulations in a GCM

Authors: R. Meyer ^a; R. Buell ^b; C. Leiter ^c; H. Mannstein ^b; S. Pechtl ^{bd}; T. Oki ^e; P. Wendling ^a

Affiliations: ^a SunTechnics GmbH, D-20537 Hamburg, Germany

About this Journal

[Abstracting & Indexing](#)

[News & Offers](#)

[Online Submissions](#)

[Previous Table of Contents](#)

[Related Journals](#)

[Related Websites](#)

[Society Information](#)

[What is iFirst?](#)

Article Requests

[Reprints](#)

[Request Permissions](#)

^b DLR - Oberpfaffenhofen, Institut für Physik der Atmosphäre, D-82234 Wessling, Germany


^c Science and Computing AG, München, Germany

^d now at Institute for Environmental Physics, University of Heidelberg, D-69120 Heidelberg, Germany

^e Institute of Industrial Science, University of Tokyo, Tokyo 153-8505, Japan

DOI: 10.1080/01431160600641707

Publication Frequency: 24 issues per year

Published in:  [International Journal of Remote Sensing](#), Volume [28](#), Issue [9](#) May 2007, pages 2049 - 2069

Subjects: [Environmental Sciences](#); [Geographic Information Systems](#); [Remote Sensing](#);

Formats available: HTML (English) : PDF (English)

You have:  FREE ACCESS

Also incorporating: [Remote Sensing Reviews](#)

Article Requests: [Order Reprints](#) : [Request Permissions](#)

View Article:  [View Article \(PDF\)](#)  [View Article \(HTML\)](#)

Abstract

For the first time the contrail cover for a region covering Thailand and surrounding regions as well as for the region of Japan and its surroundings are determined by remote sensing observations. Locally received NOAA/AVHRR satellite data are analysed by a fully automated contrail detection algorithm. For both regions approx. 400 NOAA-14 satellite scenes from four months of the year 1998 were analysed. Both regions show sufficient air traffic to produce an observable amount of contrails. Thus we are able to measure for the first time contrail frequencies in the tropics and compare it to a nearby mid latitudinal region. The annual average of the daily mean contrail cloud coverage is 0.13% for the Thailand region and about 0.25% for the Japan region. For both regions the contrail cover is largest during spring. The daily cycle shows surprisingly high contrail coverage during night in spite of lower air traffic densities during night time. The satellite observed contrail cover is compared with simulations of contrails by use of the general circulation model ECHAM4 related to air traffic emissions of 1992. While the derived patterns of the regional contrail distributions agree well, the contrail coverage derived from satellite data is larger than the simulated coverage. This discrepancy appears to be mainly due to an increase in air traffic in the time period between the model study and the observations.

[view references \(24\)](#) : [view citations](#)

Bookmark with:  [Connotea](#)

[Privacy Policy](#) | [Terms & Conditions](#) | [Accessibility](#) | [RSS](#)

FAQs in: [English](#) . [Français](#) . [Español](#) . [中文 \(简体和繁體\)](#)

© 2009 [Informa plc](#)

