

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 3710019 System Name: Ramona Municipal WD HQNAME: Ramona MWD City: Ramona State: CA Address: 105 Earlham Street
2. Enter the system number:	<input type="text" value="3710019"/> OR Ramona Municipal WD Filter systems (reset) By County -- OR <hr/> By City RAMONA	
3. Enter the Chemical number/name:	<input type="text" value="00010"/> OR SOURCE TEMPERATURE C	
4. Select Date Range:	<input type="text" value="2002-01-01"/> TO <input type="text" value="2008-03-24"/> ≥ 2002-01-01 ≤ 2008-03-24	
5. Graph Properties:	Width: <input type="text" value="1000"/> Height: <input type="text" value="400"/>	
<input type="button" value="Generate Graph"/> --		

6. Generated Graph:

Area Info.

System Name = Ramona Municipal WD
 Laboratory Number = E.S. BABCOCK & SONS
 Laboratory Area = 909
 Laboratory Tel. = 6533351

Chemical Info.

Chemical Name = SOURCE TEMPERATURE C (00010)
 RPHL. = 0 (C)
 MCL = 0 RCL = 0
 MDL = 0

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377
 No. of Graph Points = 2

